Questions & Answers

40mm Grenade Family Systems Procurement

Julie Seaba

PCO

5 August 2014

Q & A

QUESTION #1: Is the intent of the System to be dual sourced or is a single source possible?

ANSWER #1: The Government intends to award one (1) or two (2) contracts. At time of award the Government will decide what is in its best interest.

Q & A

QUESTION #2: Is it the USG's intent to make 1 award?

ANSWER #2: The Government intends to award one (1) or two (2) contracts. At time of award the Government will decide what is in its best interest.

Q & A

QUESTION #3: Has the government any data on the increased reliability of 40mm ammunition, since increase in quality has been heavily underway?

ANSWER #3: The Government does not have data to share, but has experienced significant improvements in the performance of all 40mm ammunition.

Q & A

QUESTION #4: Has the increased quality requirements on 40mm contracts leveled off, or will there be additional increase in requirements in the future (AAIE, SPC, CCC, etc.)?

ANSWER #4: Quality requirements will remain the same as in the past. Acceptance Inspection Equipment (AIE)/ Statistica Process Control (SPC)/Critical Characteristics Control (CCC)/First Article Acceptance Test (FAAT), etc., will all remain requirements.

Q & A

QUESTION #5: What does the anticipated funding look like?

ANSWER #5: The table below reflects the most likely quantities subject to requirements and funding:

CTG:	FY15:	FY16:	FY17:	FY18:	FY19:
M430A1	0	0	0	0	0
M433	0	0	50,000	0	0
M583A1	0	0	0	0	0
M781	351,279	429,874	420,450	416,310	345,517
M918	92,992	70,208	49,824	50,080	27,200
MIXED BELT	1,500,000	1,500,000	5,000,000*	5,000,000*	5,000,000*
M385A1	427,298	325,716	396,064	318,257	82,350
M992	0	0	0	0	0
M585	10,032	0	0	0	0
M661	0	0	0	0	0
M662	0	0	0	0	0

*** Reflects quantities for any potential delay with the 40mm Day Night Trainer Procurement**